

**PEARL GLOSS COMPOSITION AND ITS PRODUCTION**

Patent Number: JP8231985  
Publication date: 1996-09-10  
Inventor(s): NAKAMATSU HIROSHI; MIYATAKE YOSHIKAZU  
Applicant(s): KAO CORP  
Requested Patent: ☐ JP8231985  
Application Number: JP19950299012 19951024  
Priority Number(s):  
IPC Classification: C11D1/94; A61K7/00; A61K7/50; B01F17/00; B01F17/28; B01J13/00  
EC Classification:  
Equivalents:

---

**Abstract**

---

**PURPOSE:** To obtain a pearl gloss composition having beautiful gloss due to uniform granular diameter of crystals contained therein and excellent stability of a product and the composition itself due to small granular diameter, and having wide utilizing range.

**CONSTITUTION:** The objective pearl gloss composition contains the components of (A) an aliphatic acid glycol ester, (B) an aliphatic acid monoalkylolamide, (C) an amphoteric surfactant and/or a nonionic surfactant and (D) water (containing amount of the component (A) is 20-60wt.% in the composition and a weight ratio of component (A): component (B): component (C) is 100: (1-10):(1-30)) and another objective pearle gloss composition contains an aliphatic acid dialkylolamide as the component (B). The production method of these pearl gloss composition with excellent dispersibility, having low viscosity even though having high density is provided.

---

Data supplied from the esp@cenet database - I2